

(41)

PH- 769

PROCEEDINGS OF THE PUBLIC HEARING OF M/S HINDUSTAN PETROLEUM CORPORATION LIMITED TO SET UP 60 TMTA LPG BOTTLING PLANT OF STORAGE CAPACITY 3 X 300 MT LOCATED AT VILLAGE PITAMAHAL, RAYAGADA TAHASIL OF RAYAGADA DISTRICT HELD ON 28.11.2018 AT 11.00 AM IN KHAIRAGUDA VILLAGE, PITAMAHAL GRAM PANCHAYAT, RAYAGADA BLOCK, DIST-RAYAGADA.

The public hearing in respect of the above project was held on 28.11.2018 as per the schedule and at the venue in accordance with the EIA Notification S. O. 1533 (E) dt. 14.09.2006. The public hearing with regard to date, place and time was announced in Public Address System in nearby villages of proposed project site and also published in Local Dailies. The process followed for public hearing was adequate.

Er P Kar, Regional Officer, State Pollution Control Board, Rayagada welcomed the public to the hearing and briefed about the objectives, process & procedures followed for conducting such public hearing.

Shri Sudhakar Sabaro, OAS(S) Additional District Magistrate, Rayagada presided over and supervised the public hearing. He briefed about the importance and objectives of such hearing and invited the project proponent to highlight on proposed project.

Sri Anil Kumar Tripathy, Chief Manager of M/s Hindustan Petroleum Corporation Ltd. explained about the proposed project and briefed about the Pollution Control measures to be adopted in the Project.

The following is the summary of the public hearing proceedings, reflecting all the views and concerns expressed by the assembled public at the venue. It was recorded by the officials of the Regional Office, State Pollution Control Board, Odisha, Rayagada.

1. Sri Chutu Dash, Advocate, Rayagada

Sri Dash expressed his happiness over the proposed gas plant in their Panchyat as well as in Rayagada. He also queried about in what way they will be benefitted from this project. He suggested that priority should be given to the local youth for employment in different plant activities like plantation & other works. He expressed that road connecting to village Khairiguda is in very bad shape & urged that HPCL should help in improving the road. Further he assured all cooperation from their end for the project with condition that they will submit their demand in written to the company & hope those demands will be fulfilled.

2. Sri Basanta Ullaka, Ramchandra Pur


Sri Ullaka welcomed the project and hope that local youth will be involved in the project activities through employment. He expressed his apprehension regarding pollution and urged that norms to be followed by the plant to avoid pollution. He appealed the project authority to fulfill their demands related to peripheral development. He inquired about their rights over the plant and assured full co-operation from them for setting up of the plant.

3. Sri Jhari Nayak, Retd. Teacher, Khairaguda

Sri Nayak introduced himself as retired teacher and informed that he is residing there for last 30 years. Further he explained about the history of the Khairaguda village. He expressed that there are 40 families residing in that village and demanded for employment of their children having qualification of 7th to 10th standard. Further he demanded for employment and overall development of surrounding villages.

4. Sri Bidya Bhusan Panda, Rayagada

Sri Panda welcomed the project and emphasized on unemployment problem of the Rayagada area. He requested the project authority to provide employment for the local youth based on their qualification. Further he advised to adopt latest technology for fire safety purposes and also





16
hoped that the gas problem of the locality will be minimised. Further he stressed upon the development of the road, health & education facilities in the locality by the project.

5. Sri Bhawani Shankar Nayak, Khairaguda

Sri Nayak expressed his apprehension about the air pollution problem and villages Khairgua, Ramchandrapur & Beheraguda likely to be affected due to the plant. He emphasized on supply of drinking water, development of road and employment opportunity to both qualified and non qualified youth of the locality. He informed that the villagers are facing difficulties and demanded pension for older people and stipend for poor children by the company.

6. Sri Prahallad Bidika, Ramchandra Pur

Sri Bidika expressed his dissatisfaction over lack of government facilities in the local villages Khairgua, Ramchandrapur & Beheraguda even after 70 years of independence. He blamed the poor road condition for their development and told 10th, +2 and degree student are migrating to Tamilnadu & Chennai for their lively hood due to unemployment. He expressed his happiness for the project and hope that it will provide employment opportunity for them. Further he told that though they are residing near to district Head Quarter Rayagada but deprived of all facilities and urged that project will provide their livelihood.

7. Smt Radhama Nayak, Khairaguda

Smt Nayak demanded for provision of drinking water, road facilities & employment opportunity for youth of her village.

8. Ms Tapaswini Nayak, Khairaguda

Ms Nayak expressed that the plant will provide job opportunity for the educated youth of the locality and requested to provide alternate road facility for their village by the company.

9. Ms Sasmita Nayak, Khairaguda

Ms Nayak urged that company should provide job to the local educated youth, good road and drinking water facilities.

10. Sri Trinath Nayak, Khairaguda

Sri Nayak demanded for alternate road for their village prior to the establishment of the project. He hoped that local poor people will get job in the project and requested to extend help for the development of the village temple.

11. Sri Shyam Kumar Dash, Rayagada

Sri Dash expressed his pleasure over the establishment of the project after a long time near Rayagada town. He seeked clarification on certain points prior to establishment of the plant which includes possibilities of pollution, social responsibility programme, employment opportunities for local students on priority basis, plantation programme inside and along the road, management of LPG truck, traffic & parking facilities, preventive measures for accidents, fire fighting facilities and security provision for the plant. While welcoming the project he assured all support hoping that company will extend help for overall development of the locality..

12. Smt Pinky Behera, Samiti Member, Pitamahal

Smt Behera appealed to the project to extend help for the development of the panchyat.



13. **Sri Sanjaya Bidika, Ramchandra Pur**

Sri Bidika demanded employment opportunities for educated youth of the local villages and also stressed upon the provision of drinking water facilities and community toilet facilities at each surrounding villages prior to establishment of the project.

The Regional Officer, SPCB, Rayagada read over the issues raised by the public in the hearing. Sri Anil Kumar Tripathy, Chief Manager, Sri Vanchi Biswanath, General Manager, LPG Project & Sri K.B. Satyanarayan, Deputy General Manager, LPG Project of M/s Hindustan Petroleum Corporation Ltd. responded to the issues raised.

The issues raised by the public and corresponding comments of the applicant were prepared in Odia and English and it is annexed with the proceedings as Annexure I & II respectively, list of the participants and oral deliberators in the hearing is annexed as Annexure III & IV respectively. One written representations received during public hearing and one representation received at venue after the hearing is annexed as Annexure-V_a & V_b respectively. The videography of proceedings are recorded and submitted as DVD (I).


Hearing ended with thanks to the chair.


Er P Kar
Regional Officer
State Pollution Control Board, Rayagada


Shri Sudehakr Sabaro, OAS(S)
Additional District Magistrate, Rayagada

ଗ୍ରାମ: ପିତାମହଲ, ଡହସିଲ: ରାୟଗଡ଼ା, ଜିଲ୍ଲା: ରାୟଗଡ଼ା ଠାରେ ହିନ୍ଦୁସ୍ତାନ ପେଟ୍ରୋଲିଅମ କର୍ପୋରେସନ ଲିମିଟେଡ୍, ୨୦ TMTA ବଟଲିଂ ପ୍ଲାଣ୍ଟ ନିର୍ମାଣ କରିବା ନିମନ୍ତେ ତା ୨୮/୧୧/୨୦୧୮ ସମୟ ଘ ୧୧:୦୦ ଷ୍ଟା ଗ୍ରାମ: ଖଇରଗୁଡ଼ା, ଗ୍ରାମ ପଞ୍ଚାୟତ: ପିତାମହଲ, ବ୍ଲକ: ରାୟଗଡ଼ା, ଜିଲ୍ଲା: ରାୟଗଡ଼ା ଠାରେ ଜଣ ଶୁଣାଣି ସଭାରେ ଜଣ ସାଧାରଣ ମାନକ ବାରା ଉପାଯୋଗୀ ବାବିପତ୍ର ବିଷୟ ଉପରେ ଆଲୋଚନା କରିବାସହ ବାବି ପୁରାଣ ନିମନ୍ତେ ପ୍ରତିଶ୍ରୁତି ଦିଆଯାଇଥିଲା ।

<p>ଜଣ ଶୁଣାଣି ସଭା ଠାରେ ଜଣ ସାଧାରଣକ ବାରା ଉପସ୍ଥାପିତ ସମସ୍ୟା</p>	<p>ପ୍ରକଟ ପ୍ରସ୍ତାବକ ଉତ୍ତର</p>
<p>ପରିବେଶ ସମ୍ବନ୍ଧୀୟ ସମସ୍ୟା ଏବଂ ତାର ବୁଝାଇବା</p>	
<p>ପ୍ଲାଣ୍ଟ ବାୟୁ ପ୍ରଦୂଷଣକୁ ରୋକିବା ପାଇଁ ପଦକ୍ଷେପ</p>	<p>ଏହା ଏକ ଏଲ.ପି.ଜି ବଟଲିଂ ପ୍ଲାଣ୍ଟ ଯେଉଁଥିରେ ବ୍ରହ୍ମପର ଗ୍ରହଣ, ଭଣ୍ଡାରଣ ଏବଂ ସିଲିଣ୍ଡର ଭର୍ତ୍ତିର ବ୍ୟବସ୍ଥା ରହିବ ପ୍ଲାଣ୍ଟରେ କୌଣସି ପ୍ରକାରର ଉତ୍ପାଦନ ଏବଂ ନିର୍ମାଣ କାର୍ଯ୍ୟ ହେବନାହିଁ । ଏଲ.ପି.ଜି ମାଉଣ୍ଟେଡ୍ ଷ୍ଟୋରେଜ ଭେସଲରେ ଷ୍ଟୋର ହେବ ଏବଂ ସିଲିଣ୍ଡରରେ ଭର୍ତ୍ତି ହେବ । ପ୍ରଦୂଷଣକୁ ରୋକିବା ପାଇଁ ବରକାର ପରିମାଣର ସବୁଜ କ୍ଷେତ୍ର ପ୍ରସ୍ତୁତ କରାଯିବ । DG - stack ଏବଂ ବାହାର ବାୟୁର ଗୁଣବତ୍ତା ନିୟମିତ ଯାଞ୍ଚ କରାଯିବ ।</p>
<p>ବଟଲିଂ ପ୍ଲାଣ୍ଟ ନିମନ୍ତେ ପରିବେଶ ପ୍ରଦୂଷଣ ନିୟନ୍ତ୍ରଣ ପଦକ୍ଷେପ</p>	<p>ଏଲ.ପି.ଜି ଏକ ମୁଦିତ ପଦ୍ଧତିରେ ପରିଚାଳନା କରାଯିବ ଏବଂ ଏଥିରେ କୌଣସି ପ୍ରକାରର ଉତ୍ପାଦନ ପ୍ରକ୍ରିୟା ରହିବ ନାହିଁ । ଏହି ପ୍ଲାଣ୍ଟରେ ସିଲିଣ୍ଡର ଯୋଜନା ଏବଂ ପରୀକ୍ଷଣ ବ୍ୟବସ୍ଥାରୁ ବାହାରୁଥିବା ଅପରିଷ୍କାର ପାଣିର ଉପଚାର ପାଇଁ ଏକ ଜଳାୟ ବର୍ଜ୍ୟବସ୍ତୁର ଉପଚାର ପ୍ଲାଣ୍ଟ ରହିବ ଏବଂ ଏହି ଉପଚାରିତ ଜଳ ପ୍ଲାଣ୍ଟ ଭିତରେ ବଗିଚା କାର୍ଯ୍ୟରେ ବ୍ୟବହାର କରାଯିବ । ଏହା ଏକ ଶୁଦ୍ଧ ଜଳ ନିଷ୍କାସନ ପରିଚାଳନା ପ୍ଲାଣ୍ଟ ଅଟେ । ବାୟୁ, ଜଳ ଏବଂ ଶବ୍ଦ ପରିଚାଳନା ନିମନ୍ତେ DG stack, DG ପାଇଁ ଧ୍ୱନି ବିରୋଧକ ଅବଧିକାରଣ ପ୍ରକ୍ରିୟା ଓ ଏଲ.ପି.ଜି ଲିକେଜକୁ ଠାବ କରିବା ପାଇଁ ଗ୍ୟାସ ମନିଟରିଂ ବ୍ୟବସ୍ଥା କରାଯିବ ।</p>
<p>ଶିଳ୍ପ ସମ୍ବନ୍ଧୀୟ ବିପଦ/ ଦୁର୍ଘଟଣାର ସମ୍ଭାବନା ଏବଂ ଅଗ୍ନି ନିରାପଣ ବ୍ୟବସ୍ଥା</p>	<p>ପ୍ଲାଣ୍ଟର ନିର୍ମାଣ ଏବଂ ପରବର୍ତ୍ତୀ ପରିଚାଳନା OISD ସ୍ୱାନଡର୍ଟ ୧୪୪ ଏବଂ ୧୫୦ ଅନୁଯାୟୀ ହେବ । ସବୁ ବ୍ୟବସ୍ଥା ଏହି ଧାରାରେ ହେବ । ପ୍ଲାଣ୍ଟରେ ସ୍ୱତନ୍ତ୍ର ଅଗ୍ନି ନିର୍ବାପକ ବ୍ୟବସ୍ଥା ରହିବ ସହ ୪ ଘଣ୍ଟା ପାଇଁ ଅଗ୍ନି ସହ ଲଢ଼େଇ କରିବାର ବ୍ୟବସ୍ଥା ମଧ୍ୟ ରହିବ । ଅଗ୍ନି ନିର୍ବାପନ ପାଇଁ ଇଞ୍ଜିନ/ପମ୍ପ ସହ ସ୍ୱତନ୍ତ୍ର ଟାପ ଯୁକ୍ତ ଜଳ କ୍ଷେପଣ ବ୍ୟବସ୍ଥା, ଗ୍ୟାସ ମନିଟରିଂ ସିଷ୍ଟମ, ଡେଲୁୟିଜ ଭଲଭ, ସେଚକ ବ୍ୟବସ୍ଥା ରହିବ । ନିରାପଣ ପାଇଁ ଲକ୍ଷ୍ମର ଲକ୍, ESD ବ୍ୟବସ୍ଥା, ରିମୋଟ ଓପରେଟେଡ୍ ଭଲଭ ଇତ୍ୟାଦି ସୁରକ୍ଷା ବ୍ୟବସ୍ଥା ରହିବ ।</p>
<p>ବୃକ୍ଷ ରୋପଣ ଏବଂ ସବୁଜ କ୍ଷେତ୍ରର ବିକାଶ</p>	<p>ସମ୍ପୂର୍ଣ୍ଣ ଜମିର ୩୩% ସବୁଜ କ୍ଷେତ୍ରର ବିକାଶ ନିମନ୍ତେ ବ୍ୟବହାର ହେବ । ଏଥିରେ ବୃକ୍ଷ ରୋପଣ ମଧ୍ୟ ଉଦ୍ଦିଷ୍ଟ ଅଛି ।</p>
<p>ପରିପାଶ୍ୱିକ ବିକାଶ</p>	
<p>ଖାଇରାଗୁଡ଼ା ଗ୍ରାମକୁ ସଂଯୋଗ କରୁଥିବା ରାସ୍ତାର ଉନ୍ନତି ଏବଂ ଅନ୍ୟ ପରିପାରିସମ୍ମୁକ ଗ୍ରାମ ଗୁଡ଼ିକର ରାସ୍ତାର ବିକାଶ</p>	<p>ଆମେ NH ରୁ ପ୍ଲାଣ୍ଟକୁ ପ୍ରବେଶ କରିବା ରାସ୍ତା ନିର୍ମାଣ କରିବୁ । ଖାଇରାଗୁଡ଼ା ଗ୍ରାମକୁ ଥିବା ବର୍ତ୍ତମାନର ୧୦ ଫୁଟ ରାସ୍ତା ବଦଳରେ ଆମେ ୩୩ ଫୁଟ Bitumen ରାସ୍ତା ଆମ ଜମି ପରିସୀମା ପାର୍ଶ୍ୱରେ ନିର୍ମାଣ କରିବୁ ଏବଂ ଏହି ରାସ୍ତାକୁ ଖାଇରାଗୁଡ଼ାର ଗ୍ରାମ ରାସ୍ତା ସହ ସଂଯୋଗ କରି ସ୍ୱାଧୀନ ପ୍ରବେଶ ଅଧିକାର ପ୍ରଦାନ କରିବୁ ।</p>
<p>ପରିପାଶ୍ୱିକ ଗ୍ରାମଗୁଡ଼ିକରେ ସ୍ୱାସ୍ଥ୍ୟ ଏବଂ ଶିକ୍ଷାର ଉନ୍ନତି ବ୍ୟବସ୍ଥା</p>	<p>ନିକଟବର୍ତ୍ତୀ ଗ୍ରାମ ନିମନ୍ତେ କୌଣସି ନିର୍ଦ୍ଦିଷ୍ଟ ବ୍ୟବସ୍ଥା ଉପରେ, HPCL ସ୍ଥାନୀୟ ପଂଚାୟତ ଅଧିକାରୀ/ପ୍ରଶାସନ ଅଧିକାରୀଙ୍କ ସହିତ ଆଲୋଚନା କରିବ ଏବଂ ସେହି ବ୍ୟବସ୍ଥାକୁ CSR(କର୍ପୋରେଟ ସୋସିଆଲ ରେସପନ୍ସିବିଲିଟି) ଯୋଜନାରେ ଯୋଗାଇପାରେ ।</p>


K.V. SATYANARAYANA
 DGM-LPG Projects
 Hindustan Petroleum Corporation Limited
 VISAKHAPATNAM

ପିତାମହଲ ଗ୍ରାମପଂଚାୟତର ଗ୍ରାମଗୁଡ଼ିକରେ ପାନୀୟ ଜଳର ବିତରଣ	ନିକଟବର୍ତ୍ତୀ ଗ୍ରାମ ନିମନ୍ତେ କୌଣସି ନିର୍ଦ୍ଦିଷ୍ଟ ବ୍ୟବସ୍ଥା ଉପରେ, HPCL ସ୍ଥାନୀୟ ପଂଚାୟତ ଅଧିକାରୀ/ପ୍ରଶାସନ ଅଧିକାରୀଙ୍କ ସହିତ ଆଲୋଚନା କରିବ ଏବଂ ସେହି ବ୍ୟବସ୍ଥାକୁ CSR(କର୍ପୋରେଟ ସୋସିଆଲ ରେସପଞ୍ଚିବିଲିଟି) ଯୋଜନାରେ ଯୋଗାଇପାରେ.
ସ୍ଥାନୀୟ ଯୁବକମାନଙ୍କ ପାଇଁ ସେମାନଙ୍କ ଯୋଗ୍ୟତା ଅନୁସାରେ ନିୟୁତ୍ତି ଅବସର	ପ୍ରସ୍ତାବିତ ବ୍ୟବସ୍ଥା ହେତୁ, ସ୍ଥାନୀୟ ବାସିନ୍ଦାମାନଙ୍କ ନିମନ୍ତେ ସେମାନଙ୍କ ଯୋଗ୍ୟତା ହିସାବରେ ପରୋକ୍ଷ ଭାବରେ ନିୟୁତ୍ତିର ଅବସର କଂଟ୍ରାକ୍ଟର ଦ୍ୱାରା ହୋଇପାରେ. ପରବର୍ତ୍ତୀ ସମୟରେ କାର୍ଯ୍ୟକାରୀତା ଓ ରକ୍ଷଣାବେକ୍ଷଣ ପାଇଁ କଂଟ୍ରାକ୍ଟର ଦ୍ୱାରା ପରୋକ୍ଷ ନିୟୁତ୍ତିର ସୁଯୋଗ ମଧ୍ୟ ହୋଇପାରେ.
ସ୍ଥାନୀୟ ବୟସ୍କ ବ୍ୟକ୍ତି ଏବଂ ଗରିବ ଲୋକଙ୍କ ପାଇଁ ପେନଶନ/ଭତ୍ତା ନିମନ୍ତେ ବ୍ୟବସ୍ଥା	ପବ୍ଲିକ ସେକ୍ଟର ଏଣ୍ଟରପ୍ରାଇଜ ହୋଇଥିବା ହେତୁ, HPCL ଏହି ଭଳି ଯୋଜନାକୁ ସହଯୋଗ କରିବା ପାଇଁ ସକ୍ଷମ ନ ହୋଇପାରେ.
ତ୍ରିନାଥ ମନ୍ଦିରର ପୁନରୁଧାର	ପବ୍ଲିକ ସେକ୍ଟର ଏଣ୍ଟରପ୍ରାଇଜ ହୋଇଥିବା ହେତୁ, HPCL ଏହି ଭଳି ଯୋଜନାକୁ ସହଯୋଗ କରିବା ପାଇଁ ସକ୍ଷମ ନ ହୋଇପାରେ.
ସ୍ଥାନୀୟ ଲୋକଙ୍କ ନିମନ୍ତେ ଗୋଷ୍ଠୀ ଶୈତାଳୟର ବ୍ୟବସ୍ଥା	ନିକଟବର୍ତ୍ତୀ ଗ୍ରାମ ନିମନ୍ତେ କୌଣସି ନିର୍ଦ୍ଦିଷ୍ଟ ବ୍ୟବସ୍ଥା ଉପରେ, HPCL ସ୍ଥାନୀୟ ପଂଚାୟତ ଅଧିକାରୀ/ପ୍ରଶାସନ ଅଧିକାରୀଙ୍କ ସହିତ ଆଲୋଚନା କରିବ ଏବଂ ସେହି ବ୍ୟବସ୍ଥାକୁ CSR(କର୍ପୋରେଟ ସୋସିଆଲ ରେସପଞ୍ଚିବିଲିଟି) ଯୋଜନାରେ ଯୋଗାଇପାରେ.
ଚକ/ଟାଙ୍କରଗୁଡ଼ିକର ଗମନାଗମନ ପାଇଁ ଗ୍ରାମିକ ନିୟନ୍ତ୍ରଣ ବ୍ୟବସ୍ଥା ଏବଂ ପାର୍କିଙ୍ଗ ବ୍ୟବସ୍ଥା	ପ୍ଲାଟ୍ଫର୍ମ ଯିବା ରାସ୍ତାଟିକୁ ଶାନ୍ତୀ ପୁସ୍ତ ଚୌଡ଼ା କରାଯିବ. ପ୍ଲାଟ୍ଫ୍ରେ ବଲ୍ଡ ଚକ/ ପ୍ୟାକଡ଼ ଚକଗୁଡ଼ିକ ପାଇଁ ସ୍ୱାଧୀନ ଭାବରେ ପାର୍କିଙ୍ଗ ଜାଗା ବରକାର ମୁଗାବକ ନିୟମାବଳୀ ଅନୁସାରେ ରହିବ. ଏହି ଚକଗୁଡ଼ିକର ଯାଚାଯାତ ପ୍ଲାଟ୍ଫ୍ରେ ସୁରକ୍ଷାକର୍ମୀଙ୍କ ତତ୍ତ୍ୱାବଧାନରେ ହେବ.
ସ୍ଥାନୀୟ ଗୋଷ୍ଠୀକ ନିମନ୍ତେ ସାମାଜିକ ଉନ୍ନତି ମୂଳକ ଯୋଜନା	ନିକଟବର୍ତ୍ତୀ ଗ୍ରାମ ନିମନ୍ତେ କୌଣସି ନିର୍ଦ୍ଦିଷ୍ଟ ବ୍ୟବସ୍ଥା ଉପରେ, HPCL ସ୍ଥାନୀୟ ପଂଚାୟତ ଅଧିକାରୀ/ପ୍ରଶାସନ ଅଧିକାରୀଙ୍କ ସହିତ ଆଲୋଚନା କରିବ ଏବଂ ସେହି ବ୍ୟବସ୍ଥାକୁ CSR(କର୍ପୋରେଟ ସୋସିଆଲ ରେସପଞ୍ଚିବିଲିଟି) ଯୋଜନାରେ ଯୋଗାଇପାରେ.

K.V.

K.V. SATYANARAYANA
 DGM-LPG Projects
 Hindustan Petroleum Corporation Limited
 VISAKHAPATNAM

STATEMENT OF ISSUES RAISED BY THE PUBLIC AND COMMENTS OF THE PROPONENT OF THE PUBLIC HEARING OF M/S HINDUSTAN PETROLEUM TO SET UP 60 TMTPA LPG BOTTLING PLANT WITH STORAGE CAPACITY OF 3 X 300 MT LOCATED AT VILLAGE PITAMAHAL, RAYAGADA TEHASIL OF RAYAGADA DISTRICT HELD ON 28.11.2018 AT 11.00 AM IN KHAIRAGUDA VILLAGE, PITAMAHAL GRAM PANCHAYAT, RAYAGDA BLOCK, DIST – RAYAGADA

Issues raised by the public in Hearing Meeting	Response of the Project Proponent
Environmental problems and their adverse impact	
Air pollution Control measures of the plant	This is a LPG Bottling Plant involving Receipt, Storage and Cylinder Filling Facilities. There is no Production & Manufacturing process involved. Adequate green belt will be developed to mitigate any pollution arising from movement of Trucks. Regular monitoring of DG – Stack and Ambient air quality monitoring will be carried out
Environmental Pollution control measures for the bottling plant	LPG will be handled in a closed system and no production process is involved. The Plant would be provided with a Effluent Treatment Plant for treating water emanating from Cylinder Washing and Testing Facilities and the treated water would be used for gardening within the Plant premises. This is a Zero Discharge Water Management Plant. Air, Water and Noise management would be done by providing Stacks for DG sets & Acoustic enclosure for DG Sets. Gas monitoring system would be provided for detecting any LPG leaks & giving Alarms so that timely corrective action is taken by the Plant Operating Team.
Possibility of Industrial Hazard / Accident & Fire Safety Measures	The Plant will be constructed and subsequently operated as per Oil Industry Safety Directorate (OISD) STD-144 & STD-150. All the facilities will be designed & operated as per these guidelines. The plant will be provided with Automatic Fire Fighting system consisting of Pressurized Hydrant system with Engines / pumps & Jockeys & with Fire Water Storage for 4 hours firefighting along with Deluge valves and Sprinkler systems for firefighting; Gas Monitoring System for LPG leak detection; Safety features like Interlocks, ESD systems, Remote operated valves etc would be provided for ensuring safety at all times.



K.V. SATYANARAYANA
DGM-LPG Projects
Hindustan Petroleum Corporation Limited
VISAKHAPATNAM

Issues raised by the public in Hearing Meeting	Response of the Project Proponent
Plantation & Green Development	33% of total Land will be used for Green belt Development including plantation of trees.
Peripheral Development	
Development of Road particularly connecting to Khairaguda village & roads of other surrounding villages	We will be developing Approach / Access road from NH to Plant land. In place of current existing 10 feet road to Khairaguda Village, we would be developing 33 feet Bitumen Road along our Land boundary wall , and this road would join the village road of Khairaguda for ensuring free access to the village from NH.
Development of Health & Education Facility in surrounding villages	HPCL will discuss with local Panchayat Authority / Local Administration for any specific facility in the nearby village and may provide the same under its CSR (Corporate Social Responsibility)Programme.
Supply of Drinking water to the villages of Pitamahal GP	HPCL will discuss with local Panchayat Authority / Local Administration for any specific facility in the nearby village and may provide the same under its CSR (Corporate Social Responsibility) scheme.
Employment opportunity for local youths as per their qualification	Due to the proposed facility, there would be scope for indirect employment generation to local people as per their qualification & Skill levels through contractors during construction phase and subsequently for operations and maintenance of the facilities through contract services.
Provision of Pension / Stipend for Senior Citizens & Poor people of the locality	As a Public Sector Enterprise, HPCL may not be able to support this type of scheme.
Renovation of Trinath Temple	As a Public Sector Enterprise, HPCL may not be able to support this type of scheme.
Community Toilet for the local Villagers	HPCL will discuss with local Panchayat Authority / Local Administration for any specific facility in the nearby village and may provide the same under its CSR (Corporate Social Responsibility) scheme.
Traffic Control for movements of Trucks / Tankers & Parking Facilities	The approach road to the plant will be widened with 33 feet width road. The plant facility will consist of Independent Parking Area for Bulk Tankers / Packed Trucks' as per guidelines with sufficient area. The movement of these Tankers/trucks would be marshalled near the Gates by Plant Security personnel.
Social welfare schemes for local community	HPCL will discuss with local Panchayat Authority / Local Administration for any specific facility in the nearby village and may provide the same under its CSR (Corporate Social Responsibility) scheme.



K.V. SATYANARAYANA
 DGM-LPG Projects
 Hindustan Petroleum Corporation Limited
 VISAKHAPATNAM