

Water Quality Bulletin of State Pollution Control Board, Odisha

River system : Mahanadi

August, 2019

Criteria for Satisfactory WQI

DO >4.0 mg/l

BOD < 3 mg/l

TC < 5000 MPN/100 ml

FC < 2500 MPN/ 100 ml

Sl. No.	Name of Station	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Sundargarh	1267	07.08.2019	3:00	27	7	6.4	0.5	8.7	490	78	Satisfactory	
2	Jharsuguda	1268	20.08.2019	10:30	26	6.8	7.6	1.3	15.6	1400	330	Satisfactory	
3	Brajrajnagar-U/S	1300	20.08.2019	11:10	26	6.9	8.2	0.8	8.6	700	220	Satisfactory	
4	Brajrajnagar-D/S	1269	20.08.2019	11:35	25	7	7.4	0.9	5.2	1100	330	Satisfactory	
5	Bheden	2403	20.08.2019	12:20	26	7.2	7.8	2	6.9	170	45	Satisfactory	
6	Hirakud	1281	17.08.2019	4:10	32	7.3	8	0.9	10.4	170	49	Satisfactory	
7	Sambalpur U/S	1270	17.08.2019	5:15	29	7.1	6.2	1	13.9	2800	1100	Satisfactory	
8	Sambalpur D/S	1271	17.08.2019	5:40	28	7.2	6.6	1.2	6.9	5400	1700	Unsatisfactory	TC
9	Sambalpur FD/S at Shankarmath	3887	17.08.2019	9:30	28	7.1	6.6	0.9	13.9	110	68	Satisfactory	
10	Sambalpur FD/S at Huma	2405	17.08.2019	10:50	29	7.1	6.8	1.9	15.6	130	68	Satisfactory	
11	Power Channel U/S	3888	17.08.2019	4:40	29	7.3	6.6	0.8	10.4	220	79	Satisfactory	
12	Power Channel D/S	2404	17.08.2019	5:00	29	7.3	6.4	0.8	10.4	350	110	Satisfactory	
13	Sonepur U/S	1272	17.08.2019	12:40	29	7.1	6.8	1	6.9	79	23	Satisfactory	
14	Sonepur D/S	1274	17.08.2019	1:20	31	7	6.2	1	6.9	130	33	Satisfactory	
15	Tikarpada	1275	06.08.2019	2:55	27	8	7.6	0.7	8.9	390	68	Satisfactory	
16	Narasinghpur	1276	06.08.2019	3:35	23	7.7	7.4	0.7	8.7	540	140	Satisfactory	
17	Munduli	2406	06.08.2019	11:45	26	7.6	7.2	0.8	8.7	1100	330	Satisfactory	
18	Cuttack U/s	1277	06.08.2019	11:10	25	7.5	7.3	0.8	10.5	1300	490	Satisfactory	
19	Cuttack D/s	1278	06.08.2019	10:30	25	7.6	4.8	0.9	12.2	3500	1100	Satisfactory	
20	Cuttack FD/s	3890	06.08.2019	10:10	25	7.8	8.1	0.9	12.2	2200	940	Satisfactory	
21	Paradeep U/S	2407	06.08.2019	3:10	30.6	7.3	7.4	1.9	10.7	790	110	Satisfactory	
22	Paradeep D/S	1639	06.08.2019	4:30	30.4	7.2	6.6	0.5	32.1	210	78	Satisfactory	
23	Ong river, Dharuakhaman	3889	17.08.2019	4:20	31	7.1	6.2	0.9	8.7	40	12	Satisfactory	
24	Tel	2408	17.08.2019	2:15	32	7	6.8	0.4	8.7	46	11	Satisfactory	
25	Kathajodi U/s	3891	05.08.2019	11:00	27	7.7	7.2	0.9	12.2	640	140	Satisfactory	
26	Kathajodi D/s	1301	05.08.2019	4:20	27	7.6	7	1.9	15.7	5400	1700	Unsatisfactory	TC
27	Kathajodi FD/s (Mattagajpur)	3892	05.08.2019	12:15	27	7.5	5.3	1	7	3900	1300	Satisfactory	
28	Kathajodi FFD/s at Kamasasan	3893	05.08.2019	2:15	26	7.2	6.8	1	10.5	940	140	Satisfactory	
29	Sankhatrasa	2409	05.08.2019	3:30	26	7.9	7	1.2	10.5	3500	1100	Satisfactory	
30	Kuakhai FU/s	2410	02.08.2019	10:20	26	7.3	5.5	1.4	15.1	1100	330	Satisfactory	
31	Kuakhai U/s	1279	02.08.2019	10:45	25	7.7	6.1	1.8	17	3900	1700	Satisfactory	
32	Daya at Gelapur	3894	02.08.2019	11:30	27	7.3	5.5	1.1	13.2	3500	1300	Satisfactory	
33	Kuakhai D/s	1280	02.08.2019	2:40	25	7.5	4.7	1.8	18.9	35000	17000	Unsatisfactory	TC, FC

Sl. No.	Name of Station	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	
34	Kuakhai FD/s	2411	02.08.2019	3:10	25	7.9	5.6	1.3	11.3	24000	11000	Unsatisfactory	TC, FC
35	Daya at Kanas	3895	07.08.2019	4:20	28	7.8	5.9	1.4	12.5	2200	1100	Satisfactory	
36	Birupa	1640	05.08.2019	11:30	28	7.2	6.8	0.6	8.7	1100	220	Satisfactory	
37	Gangua at Rajdhani College	3996	02.08.2019	9:40	27	7.5	5.5	0.7	15.1	160000	160000	Unsatisfactory	TC, FC
38	Gangua at Palasuni	3897	02.08.2019	11:05	27	7.8	4.6	1.2	18.9	160000	160000	Unsatisfactory	TC, FC
39	Gangua at Samantarapur	3898	02.08.2019	11:50	26	8	4.3	1.7	15.1	160000	160000	Unsatisfactory	TC, FC
40	Gangua at vadimula	3899	Not collected									Satisfactory	
41	Kushabhadra at Bhingarpur	3903	07.08.2019	11:30	26.5	7.6	6.5	1.1	12.5	4300	2200	Satisfactory	
42	Kushabhadra at Nimapara	3904	07.08.2019	12:45	27	7.7	5.9	1.8	12.5	1400	700	Satisfactory	
43	Kushabhadra at Gop	3905	07.08.2019	1:25	27	7.6	7.9	0.3	8.9	1700	1100	Satisfactory	
44	Kendrapada U/s	3900	05.08.2019	12:30	30.7	7.7	6	0.9	12.5	1300	490	Satisfactory	
45	Kendrapada D/s	3901	05.08.2019	1:30	30.8	7.4	4.4	1	12.5	1700	490	Satisfactory	
46	Mangala at Malatipatpur	3906	05.08.2019	12:45	29	7.8	6.6	0.5	10.7	2200	700	Satisfactory	
47	Mangala D/s	3907	05.08.2019	3:45	28.5	7.7	5.7	2.2	21.4	2800	700	Satisfactory	
48	Bhargavi at Chandanpur	3908	05.08.2019	12:15	29	7.7	6	1.4	14.3	1700	790	Satisfactory	
49	Devi at Machhagaon	3902	06.08.2019	12:30	31.5	7.2	7	1.8	12.5	110	68	Satisfactory	
50	Luna at Bijipur	3912	07.08.2019	3:20	28	7.6	7.4	0.7	14.3	3500	1400	Satisfactory	
51	River Sabulia	3914	02.08.2019	2:00	21	8.4	6.5	1.3	17	5400	3500	Unsatisfactory	TC, FC
52	Kusumi	3913	02.08.2019	12:05	20	8.2	6.6	0.5	15.1	5400	3500	Unsatisfactory	TC, FC
53	River Kansari	3909	02.08.2019	1:10	21	8.2	6.5	0.8	13.2	4300	1700	Satisfactory	
54	River Badasankha	3910	02.08.2019	2:30	22	8.2	6.3	1.5	15.1	4300	2200	Satisfactory	
55	Ratnachira	3911	05.08.2019	11:35	27	7.7	6.5	1.6	10.7	1300	490	Satisfactory	

River system : Rushikulya

August, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Russekunda Reservoir	3944	07.08.2019	5:00	20	6.9	8	0.8	15.7	3500	1100	Satisfactory	
2	Badanadi, Aska	3946	07.08.2019	3:00	23	7.1	6.6	2.3	12.2	2800	1700	Satisfactory	
3	Rushikulya , Aska	3945	07.08.2019	1:30	23	7	6	0.8	14	1100	490	Satisfactory	
4	Rushikulya at Nalabanta	3947	07.08.2019	12:30	23	7.2	5	2.4	17.5	3300	1400	Satisfactory	
5	Madhopur	1455	07.08.2019	11:00	21	7.1	5	1	8.7	2600	1100	Satisfactory	
6	Potagarh	1456	08.08.2019	10:00	20	7.4	7.5	0.2	10.5	1.8	1.8	Satisfactory	

River system : Baitarani

August, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Kundra nallah at Joda	3939	06.08.2019	12:40	22	7.5	6.3	1.1	8.7	540	170	Satisfactory	
2	Kusei at Deogaon	2421	08.08.2019	9:05	22	7.5	5.7	0.7	10.5	1700	700	Satisfactory	
3	Baitarani at Naigarh	3935	06.08.2019	8:20	21	7.4	5.8	0.7	7	330	78	Satisfactory	
4	Baitarani at Unchabali	3936	06.08.2019	9:55	21	7.4	6	1.2	10.5	210	68	Satisfactory	
5	Baitarani at Champua	3937	07.08.2019	9:40	19	7.3	7	0.7	12.2	400	110	Satisfactory	
6	Baitarani at Tribindha	3938	07.08.2019	11:20	21	7.4	6.3	0.5	7	470	140	Satisfactory	
7	Baitarani at Joda	1081	06.08.2019	5:40	21	7.5	5.8	0.5	7	940	220	Satisfactory	
8	Anandpur	1082	08.08.2019	8:40	21	7.4	6.8	0.4	5.2	1100	490	Satisfactory	
9	Jajpur	1083	02.08.2019	9:20	25	7.8	7.6	1.2	12.5	2200	790	Satisfactory	
10	Chandbali U/s	1084	07.08.2019	2:45	20	8.4	7.6	0.8	8.7	540	170	Satisfactory	
11	Chandbali D/s	10018	07.08.2019	3:15	20	8.4	7.6	0.5	8.7	940	350	Satisfactory	
12	Dhamra	1085	07.08.2019	11:30	20	7.3	8	0.4	34.9	540	240	Satisfactory	
13	Bhadrak U/s	3940	07.08.2019	5:45	17	6.8	6.8	0.5	7	1400	700	Satisfactory	
14	Bhadrak D/s	3941	07.08.2019	5:10	17	6.9	6	0.8	10.5	1700	790	Satisfactory	

River system : Brahmani

August, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
---------	-----------------	------	---------------	---------------	------------------------	----	----------	-----------	-----------	----------------	----------------	-----	------------------------------

1	Panposh U/S	1037	07.08.2019	2:30	27	6.8	6.5	2.3	14	2800	940	Satisfactory	
2	Panposh D/S	1038	07.08.2019	1:40	28	6.4	5.9	2.9	19.2	22000	11000	Unsatisfactory	TC, FC
3	Jalda (Rourkela D/S)	1302	07.08.2019	1:20	27	6.5	5.3	1.8	15.7	17000	9400	Unsatisfactory	TC, FC
4	Attaghat	3916	07.08.2019	12:40	29	6.5	5.2	1.8	15.7	1400	490	Satisfactory	
5	Biritola	2414	07.08.2019	11:30	30	6.6	5	0.7	7	940	210	Satisfactory	
6	Bonaigarh	1039	07.08.2019	10:52	28	6.7	6.1	0.9	7	640	170	Satisfactory	
7	Rengali	1040	05.08.2019	4:20	29	8.4	7.4	1	8.9	130	17	Satisfactory	
8	Samal	1041	05.08.2019	12:10	29	8	6	0.3	7.1	1100	220	Satisfactory	
9	Talcher FU/S	2415	05.08.2019	11:10	28	7.9	7.2	0.2	7.1	1400	110	Satisfactory	
10	Talcher U/s	1303	05.08.2019	10:00	28	7.8	8.2	0.2	8.9	2200	490	Satisfactory	
11	Mandapal	3917	05.08.2019	10:30	29	7.7	6.6	0.5	8.9	4000	1700	Satisfactory	
12	Talcher D/S	1042	05.08.2019	8:00	29	7.8	7.4	0.7	7.1	2400	490	Satisfactory	
13	Talcher FD/S	2416	05.08.2019	10:00	29	7.8	6.6	0.7	7.1	1100	330	Satisfactory	
14	Nandira U/s	3919	05.08.2019	9:00	28	7.8	8.4	1	10.7	640	170	Satisfactory	
15	Nandira D/s	3920	05.08.2019	9:40	28	8.1	7.4	1.2	12.5	1100	210	Satisfactory	
16	Kisindajhor	3921	05.08.2019	8:45	29	7.8	5.4	1.1	10.7	1100	170	Satisfactory	
17	Dhenkanal U/s	3918	05.08.2019	11:45	29	7.7	7.2	0.8	12.5	1100	490	Satisfactory	
18	Dhenkanal D/s	2417	05.08.2019	3:00	29	7.6	8.4	0.8	12.5	1400	490	Satisfactory	
19	Bhuban	1043	05.08.2019	2:00	29	7.7	7.8	0.3	8.9	1700	220	Satisfactory	
20	Kabatabandha	2418	05.08.2019	1:30	25	7.3	7.6	1.2	10.7	1400	330	Satisfactory	
21	Dharmasala U/s	1044	02.08.2019	11:50	27	7.7	7.8	0.4	7.1	1700	700	Satisfactory	
22	Dharmasala D/s	10019	02.08.2019	4:30	28	7.7	7.8	0.6	5.4	3500	1400	Satisfactory	
23	Pottamundai	1045	05.08.2019	1:45	31	7.2	5.8	0.3	7.1	1100	330	Satisfactory	
24	Khanditara	2419	02.08.2019	12:58	27	7.7	8	0.2	5.4	330	110	Satisfactory	
25	Binjharpur	3922	02.08.2019	10:24	28	6.8	7.8	0.9	8.9	3500	1100	Satisfactory	
26	Ali	2420	05.08.2019	2:30	31.2	7.2	6.8	0.7	10.7	460	110	Satisfactory	
27	Sankh U/s	2412	07.08.2019	3:00	27	6.9	5.6	0.8	7	1300	490	Satisfactory	
28	Koel U/s	2413	07.08.2019	4:34	27	6.9	6.7	0.5	5.2	1100	330	Satisfactory	
29	Guradi nallah	3923	07.08.2019	2:00	29	6.4	3.5	3.3	27.9	3500	1100	Drain	
30	Badajhor	3924	05.08.2019	3:40	28	7.8	7.8	1	8.9	1400	220	Satisfactory	

31	Damsala at Dayanabil	3933	05.08.2019	4:25	26	7.3	7	0.9	5.4	390	78	Satisfactory	
32	Gondanallah at marthapur	3934	05.08.2019		25	7.6	6.8	1.4	14.3	1100	260	Satisfactory	
33	Karo at Barbil	3915	06.08.2019	3:10	23	7.3	6.9	0.6	8.9	260	68	Satisfactory	
34	Lingira U/s	3925	05.08.2019	5:00	27	7.9	4.6	0.8	10.7	1100	170	Satisfactory	
35	Lingira D/s	3926	05.08.2019	10:45	26	7.9	4	0.9	10.7	2100	490	Satisfactory	
36	Ramiala near Kamakhyanagar	3932	05.08.2019	12:15	29	7.5	7.2	0.8	7.1	940	170	Satisfactory	
37	Bangurunallah	3930	05.08.2019	11:40	28	7.3	7	0.8	8.9	400	170	Satisfactory	
38	Singadajhor	3931	05.08.2019	12:30	29	7.2	5.2	1	7.1	790	170	Satisfactory	
39	Tikira U/s	3927	05.08.2019	3:30	28	7.9	8	0.5	5.4	1700	790	Satisfactory	
40	Tikira D/s	3928	05.08.2019	12:50	29	7	6.8	1.1	10.7	3500	1300	Satisfactory	
41	Bangurusingada jhor	3931	05.08.2019	10:35	29	7.5	6	1	7.1	470	120	Satisfactory	

River system : Budhabalanga

August, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Baripada D/s	2423	08.08.2019	1:45	27	7.6	6	1.2	8.7	4700	1100	Satisfactory	
2	Balasore U/s	3943	08.08.2019	4:15	26	7.6	6.4	1.9	5.2	2200	790	Satisfactory	
3	Balasore D/s	2424	08.08.2019	10:00	23	7.4	6.4	2.1	7	3900	1400	Satisfactory	
4	Hatiagond (Sona)	3942	08.08.2019	5:15	26	7.5	6.8	1.3	10.4	1400	490	Satisfactory	

River system : Vansadhara

August, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Muniguda	2427	14.08.2019	3:15	26	7.2	7.2	0.8	8.7	220	78	Satisfactory	
2	Gunupur	2426	14.08.2019	5:45	25	7	7.6	1	12.2	1100	490	Satisfactory	

River system : Subarnarekha

August, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Rajghat	1641	08.08.2019	11:50	25	7.8	6.8	1.9	5.2	640	210	Satisfactory	

River system : Nagavali

August, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Penta U/s	2422	14.08.2019	11:52	25	7.1	7.5	1	10.4	320	110	Satisfactory	
2	Jaykaypur D/s	1642	14.08.2019	9:05	23	7.2	6.2	1.4	15.6	1300	330	Satisfactory	
3	Rayagada D/s	1643	14.08.2019	7:45	23	7.5	7.3	1.2	13.9	2200	790	Satisfactory	

River system : Kolab

August, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	River Kerandi (intake well of NALCO Refinery, HAL, Sunabeda)	2425	14.08.2019	2:45	25	7	7.6	0.4	10.4	470	140	Satisfactory	

River system : Indravati

August, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Indravati at Nawarangpur	3948	14.08.2019	11:40	24	7.2	6.9	0.8	8.7	940	220	Satisfactory	

River system : Bahuda

August, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Bahuda at Damodarpally	3949	07.08.2019	4:00	20	7.5	7	0.8	10.5	1700	1100	Satisfactory	

August, 2019

Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml
SEA										
Gopalpur sea	2441	07.08.2019	10:20	22	7.6	8	0.2	43.7	1.8	1.8
Swargadwara (Puri)	2439	06.08.2019	9:10	27	8.1	6.6	0.2	35.7	1.8	1.8
Pardeep sea	2440	06.08.2019	5:30	30.2	8	6.3	1.4	53.6	1.8	1.8

August, 2019

LAKES											
Name of Lake	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml
Anshupa	Kadalibari	2438	06.08.2019	1:10	24	6.7	6.2	0.8	12.2	1100	330
	Bishnupur	3956	06.08.2019	1:45	23	7	7.2	0.7	14	2200	490
	Subarnapur	3955	06.08.2019	1:35	24	6.8	6.7	1	10.5	1300	330
	Sarandagarh	3957	06.08.2019	1:55	23	6.9	5.6	0.8	12.2	2800	490
Chilka	Rambha	3953	08.08.2019	11:00	21	7.4	6.2	1.7	26.2	940	220
	Satapada	2437	05.08.2019	1:55	29.5	7.6	7.4	1.1	44.6	1100	490
Tampara	Tampara lake	3954	08.08.2019	9:00	21	7.9	6	1.8	38.4	2800	1300

August, 2019

CREEK											
Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	
Atharabanki creek	3961	06.08.2019	5:06	30.2	6.9	5.2	2.4	35.7	3500	1100	

August, 2019

CANALS											
Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	
Taladanda canal	Jobra	2438	07.08.2019	12:10	24	7.1	6.8	0.8	14	3500	700
	Ranihat	3950	07.08.2019	11:50	23	7.5	7	1.2	14	11000	2600
	Chhatrabazar	3951	07.08.2019	11:35	24	7.5	7	1.3	12.2	4900	1700
	Nuabazar	2429	07.08.2019	11:05	24.5	7.3	7	1.2	14	9400	2100
	Biribati	3952	07.08.2019	10:30	25	7.6	7.1	1	14	1100	490
	Atharabanki	2430	06.08.2019	10:10	31.6	7.2	7.6	0.8	14.3	1700	700
Puri canal	Hansapal	3958	07.08.2019	10:30	26	7	6.7	1	16.1	3500	1100
	Jagannathpur	3959	07.08.2019	2:30	25	7.3	5.8	0.7	10.7	5400	1700
	Chandanpur	3960	05.08.2019	11:45	28	7.7	5.6	1.3	10.7	1400	330

August, 2019

PONDS										
Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml
Binduasagar pond(Bhubaneswar)										
Lingaraj temple side	2431	02.08.2019	1:20	27	8.3	6.3	2.6	32.1	11000	3300
Ananta Vasudeva temple side		02.08.2019	1:00	27	8.2	5.2	1.8	15.1	24000	9400
Gyananagar side		02.08.2019	1:45	27	8.2	5.5	2.9	26.4	54000	17000
Kedarnath Research Centre side		02.08.2019	12:30	28	8.3	6.1	0.7	15.1	9400	1700
Ponds in Puri										
Narendra	2432	05.08.2019	5:35	28	8.2	6.5	1.6	21.4	460	110
Markanda	2433	05.08.2019	5:55	28	7.5	5.5	2.1	19.6	700	170
Indradyumna	2434	05.08.2019	5:10	28.5	8	9.1	1.9	16.1	1100	330
Swetaganga	2435	05.08.2019	10:05	27	8.2	6.9	2.4	26.8	1300	490

Parbatisagar	2436	05.08.2019	4:20	28	8	4.4	2.7	30.4	2400	1300
Pond in Angul										
Raniguda pond	3963	06.08.2019	10:20	25	7.1	8.4	2.5	21.4	1100	490
Pond in Jeypore										
Jagannathsagar Pond	3962	14.08.2019	1:15	26	8	6.5	1.6	15.6	1100	490