

Water Quality Bulletin of State Pollution Control Board, Odisha

Criteria for Satisfactory WC
DO >4.0 mg/l
BOD <3 mg/l
TC < 5000 MPN/100 ml
FC < 2500 MPN/ 100 ml

River system : Mahanadi

December, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Sundargarh	1267	16.12.2019	12:30	20	6.7	7.8	0.8	5.7	1400	460	Satisfactory	
2	Jharsuguda	1268	10.12.2019	11:45	18	6.5	7.6	1	7.7	4900	3300	Satisfactory	
3	Brajrajnagar-U/S	1300	10.12.2019	12:30	18	6.7	7.8	1.2	7.7	3500	490	Satisfactory	
4	Brajrajnagar-D/S	1269	10.12.2019	01:15	20	6.9	7.2	1.6	9.6	4900	1700	Satisfactory	
5	Bheden	2403	10.12.2019	02:10	20	7	7.6	1.5	5.8	1300	330	Satisfactory	
6	Hirakud	1281	04.12.2019	09:20	26	7.7	8	1.3	9.7	1300	330	Satisfactory	
7	Sambalpur U/S	1270	04.12.2019	11:10	28	7.5	7.4	1.1	9.7	3500	490	Satisfactory	
8	Sambalpur D/S	1271	04.12.2019	12:20	28	7.8	7.4	1.7	13.6	4900	1700	Satisfactory	
9	Sambalpur FD/S at Shankarmath	3887	03.12.2019	08:30	26	7.5	7	1.4	13.6	1300	330	Satisfactory	
10	Sambalpur FD/S at Huma	2405	03.12.2019	09:50	27	7.7	7.4	1	11.6	3500	170	Satisfactory	
11	Power Channel U/S	3888	04.12.2019	10:00	27	7.6	7.2	1	5.8	790	140	Satisfactory	
12	Power Channel D/S	2404	04.12.2019	10:45	28	7.6	6.8	1.3	9.7	1300	330	Satisfactory	
13	Sonepur U/S	1272	03.12.2019	12:10	27	7.7	7	1	11.6	790	20	Satisfactory	
14	Sonepur D/S	1274	03.12.2019	12:55	28	7.7	7.2	1	11.6	3500	170	Satisfactory	
15	Tikarpada	1275	09.12.2019	11:00	27	7	8	0.8	9.6	170	45	Satisfactory	
16	Narasinghpur	1276	03.12.2019	03:15	27	6.8	7.8	0.5	5.9	4900	1700	Satisfactory	
17	Munduli	2406	03.12.2019	12:13	26	6.6	7.9	0.7	5.9	1700	230	Satisfactory	
18	Cuttack U/s	1277	03.12.2019	11:44	25	6.8	8.1	0.5	5.9	3300	1300	Satisfactory	
19	Cuttack D/s	1278	03.12.2019	11:05	25	7.1	7.6	1.3	11.6	7000	2600	Unsatisfactory	TC, FC
20	Cuttack FD/S	3890	03.12.2019	10:40	25	7.2	7.9	0.8	7.8	4900	2300	Satisfactory	
21	Paradeep U/S	2407	05.12.2019	11:20	27.5	7.8	9	0.8	9.7	330	68	Satisfactory	
22	Paradeep D/S	1639	05.12.2019	10:30	28.6	7.5	8	0.8	15.5	790	140	Satisfactory	
23	Ong river, Dharuakhaman	3889	03.12.2019	03:30	28	7.8	7.4	0.8	7.8	110	20	Satisfactory	
24	Tel	2408	03.12.2019	01:35	28	7.9	7.2	1	9.7	140	20	Satisfactory	
25	Kathajodi U/s	3891	02.12.2019	11:50	26	7.8	7.9	0.5	5.9	330	68	Satisfactory	
26	Kathajodi D/s	1301	02.12.2019	03:30	27	7.9	6.4	2.5	19.5	11000	7000	Unsatisfactory	TC, FC
27	Kathajodi FD/s (Mattagajpur)	3892	02.12.2019	01:05	26	6.9	6.8	1.3	11.7	4900	1100	Satisfactory	
28	Kathajodi FFD/s at Kamasasan	3893	02.12.2019	01:30	27	7.1	7.2	0.7	5.9	3500	1300	Satisfactory	
29	Sankhatrasa	2409	02.12.2019	03:00	28	7.3	7.8	0.9	5.9	43000	17000	Unsatisfactory	TC, FC
30	Kuakhai FU/s	2410	17.12.2019	10:30	26	7.4	7.9	1.2	7.6	490	78	Satisfactory	
31	Kuakhai U/s	1279	17.12.2019	10:55	26	7.2	7.6	1.2	7.6	4900	1700	Satisfactory	
32	Daya at Gelapur	3894	17.12.2019	11:30	29	7.4	8.7	1.2	7.6	790	170	Satisfactory	
33	Kuakhai D/s	1280	17.12.2019	02:15	28	7.2	7.7	3.9	15.2	17000	7000	Unsatisfactory	BOD, TC, FC
Sl. No.	Name of Station	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
34	Kuakhai FD/s	2411	17.12.2019	02:30	26	7.4	7.1	3.1	17.1	4900	3300	Unsatisfactory	BOD, FC
35	Daya at Kanas	3895	05.12.2019	11:20	24	7.2	6.5	1.6	7.8	17000	7000	Unsatisfactory	TC, FC
36	Birupa	1640	02.12.2019	12:23		7.3	7.8	0.4	5.9	1700	110	Satisfactory	
37	Gangua at Rajdhani College	3996	17.12.2019	10:05	22	6.6	1.1	6.9	17.1	160000	160000	Unsatisfactory	DO, BOD, TC, FC
38	Gangua at Palasuni	3897	17.12.2019	11:15	27	6.6	1.8	12.1	30.3	160000	160000	Unsatisfactory	DO, BOD, TC, FC
39	Gangua at Samantarapur	3898	17.12.2019	12:00	26	6.7	0.6	14.4	47.4	160000	160000	Unsatisfactory	DO, BOD, TC, FC
40	Gangua at vadimula	3899	17.12.2019	02:00	29	6.9	2.6	6.1	20.8	54000	35000	Unsatisfactory	DO, BOD, TC, FC
41	Kushabhadrha at Bhangarpur	3903	04.12.2019	03:50	24	6.7	10.6	0.9	5.8	1700	700	Satisfactory	
42	Kushabhadrha at Nimapara	3904	04.12.2019	02:15	27	6.8	8.2	1.1	9.7	2400	330	Satisfactory	
43	Kushabhadrha at Gop	3905	04.12.2019	01:50	26	6.9	7.6	1.4	9.7	2200	700	Satisfactory	
44	Kendrapada U/s	3900	04.12.2019	11:30	28.6	7.9	6.6	0.6	5.8	3500	790	Satisfactory	
45	Kendrapada D/s	3901	04.12.2019	12:30	28.7	8.1	4.2	1.3	11.6	4600	3300	Unsatisfactory	FC
46	Mangala at Malatipatpur	3906	05.12.2019	12:20	25.5	8.5	6.7	1.3	9.7	3500	1700	Satisfactory	
47	Mangala D/s	3907	05.12.2019	03:05	25.5	8.4	6.2	2.8	23.3	11000	3300	Unsatisfactory	TC, FC
48	Bhargavi at Chandanpur	3908	05.12.2019	11:40	25.5	8.4	7.6	0.8	9.7	3500	790	Satisfactory	
49	Devi at Machhagaon	3902	05.12.2019	01:50	26.4	8	9.6	1	5.8	3500	170	Satisfactory	
50	Luna at Bijipur	3912	04.12.2019	11:50	25	7.5	6.4	1.5	13.6	4700	2200	Satisfactory	
51	River Sabulia	3914	19.12.2019	01:10	21	7.3	6.7	0.5	9.4	2400	490	Satisfactory	
52	Kusumi	3913	19.12.2019	10:30	16	6.9	8.4	0.8	9.4	4900	2200	Satisfactory	
53	River Kansari	3909	19.12.2019	11:40	18	7	7.9	0.6	7.5	3500	2200	Satisfactory	
54	River Badasankha	3910	19.12.2019	12:40	20	7.1	4.8	0.8	7.5	3500	1100	Satisfactory	
55	Ratnachira	3911	06.12.2019	11:50	26	8.3	7.4	1.3	13.6	3500	1100	Satisfactory	

River system : Rushikulya

December, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Russelkunda Reservoir	3944	03.12.2019	04:00	15	8.1	11	1.2	9.8	1700	220	Satisfactory	
2	Badanadi, Aska	3946	03.12.2019	02:30	17	8.1	7	0.6	5.9	4600	1700	Satisfactory	
3	Rushikulya, Aska	3945	03.12.2019	12:10	16	7.9	6	1.1	7.8	2400	790	Satisfactory	
4	Rushikulya at Nalabanta	3947	03.12.2019	01:00	16	7.9	6	0.9	7.8	4900	1100	Satisfactory	
5	Madhopur	1455	04.12.2019	09:00	16	8.4	6.2	1.3	5.9	3500	1300	Satisfactory	
6	Potagarh	1456	04.12.2019	10:10	17	8.4	6.5	2.5	15.6	3500	700	Satisfactory	

River system : Baitarani

December, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Kundra nallah at Joda	3939	02.12.2019	02:20	19	6.6	6.9	1.3	9.8	4900	2200	Satisfactory	
2	Kusei at Deogaon	2421	04.12.2019	10:30	20	6.8	7.8	0.3	3.9	3500	460	Satisfactory	
3	Baitarani at Naigarh	3935	02.12.2019	09:45	17	6.5	6.4	0.6	15.6	330	45	Satisfactory	
4	Baitarani at Unchabali	3936	02.12.2019	10:40	18	6.5	7.4	0.5	7.8	170	79	Satisfactory	
5	Baitarani at Chamua	3937	03.12.2019	10:10	17	6.5	6.7	0.6	7.8	1400	190	Satisfactory	
6	Baitarani at Tribindha	3938	03.12.2019	11:45	20	6.6	7.3	0.8	7.8	1700	260	Satisfactory	
7	Baitarani at Joda	1081	02.12.2019	05:15	17	6.8	6.6	0.4	5.9	790	110	Satisfactory	
8	Anandpur	1082	04.12.2019	09:50	19	6.7	7.8	0.3	7.8	1400	78	Satisfactory	
9	Jajpur	1083	04.12.2019	10:15	21	8.2	7.3	0.5	5.9	490	68	Satisfactory	
10	Chandbali U/s	1084	05.12.2019	03:10	20	8.5	8	0.5	7.8	3500	460	Satisfactory	
11	Chandbali D/s	10018	05.12.2019	03:45	20	8.3	8.4	1.2	13.6	4900	680	Satisfactory	
12	Dhamra	1085	05.12.2019	11:30	20	7.6	8.4	1	23.3	3500	460	Satisfactory	
13	Bhadrak U/s	3940	05.12.2019	05:00	18	8.2	8.8	0.8	9.7	490	68	Satisfactory	
14	Bhadrak D/s	3941	05.12.2019	05:30	18	8.1	8.8	1	9.7	4900	1100	Satisfactory	

River system : Brahmani

December, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Panposh U/S	1037	16.12.2019	03:24	21	7	7.8	0.5	7.6	3500	170	Satisfactory	
2	Panposh D/S	1038	16.12.2019	08:50	21	7	6.4	3.8	26.5	9400	1400	Unsatisfactory	BOD, TC
3	Jalda (Rourkela D/S)	1302	16.12.2019	09:25	21	6.9	6.6	2.3	22.7	3500	790	Satisfactory	
4	Attaghat	3916	16.12.2019	10:00	21	7.1	8	2	19	940	170	Satisfactory	
5	Biritola	2414	16.12.2019	11:21	21	7.1	7.8	1	9.5	1400	170	Satisfactory	
6	Bonaigarh	1039	16.12.2019	12:30	22	7.2	7.6	0.6	5.7	3500	460	Satisfactory	
7	Rengali	1040	10.12.2019	04:15	25	7.4	7.8	0.6	5.8	330	68	Satisfactory	
8	Samal	1041	10.12.2019	12:30	24	7.4	7.8	1	9.6	3500	460	Satisfactory	
9	Talcher FU/S	2415	10.12.2019	11:45	25	7.4	7.2	0.5	7.7	170	20	Satisfactory	
10	Talcher U/s	1303	10.12.2019	10:30	24	7.5	8.2	0.4	5.8	220	20	Satisfactory	
11	Mandapal	3917	10.12.2019	10:40	24	7.7	7.4	0.8	9.6	3500	460	Satisfactory	
12	Talcher D/S	1042	10.12.2019	08:00	24	7.5	7.6	0.8	9.6	790	170	Satisfactory	
13	Talcher FD/S	2416	10.12.2019	09:10	24	7.7	8.2	0.8	9.6	330	78	Satisfactory	
14	Nandira U/s	3919	10.12.2019	09:10	23	7.9	6.8	0.6	5.8	1700	220	Satisfactory	
15	Nandira D/s	3920	10.12.2019	09:40	23	8.2	6.6	0.9	9.6	2400	1300	Satisfactory	
16	Kisindajhor	3921	10.12.2019	08:40	24	8.2	8.8	1.4	13.5	3300	400	Satisfactory	
17	Dhenkanal U/s	3918	10.12.2019	03:20	25	7.7	8.4	0.8	3.9	490	170	Satisfactory	
18	Dhenkanal D/s	2417	10.12.2019	12:10	25	7.7	8.6	1.1	5.8	4900	400	Satisfactory	
19	Bhuban	1043	10.12.2019	01:30	25	7.7	8.2	0.8	7.7	170	20	Satisfactory	
20	Kabatabandha	2418	04.12.2019	05:00	22	8.4	7.5	0.6	5.9	130	17	Satisfactory	
21	Dharmasala U/s	1044	04.12.2019	12:40	24	8.4	7.7	1	7.8	330	110	Satisfactory	
22	Dharmasala D/s	10019	04.12.2019	12:25	24	8.3	7.1	1.2	9.8	2400	490	Satisfactory	
23	Pottamundai	1045	04.12.2019	01:30	28.7	8.1	8.2	0.5	5.8	1700	220	Satisfactory	
24	Khanditara	2419	04.12.2019	01:10	24	8.3	7.8	0.8	7.8	4300	1300	Satisfactory	
25	Birjharpur	3922	04.12.2019	11:10	22	8.2	7.5	0.9	7.8	3500	1700	Satisfactory	
26	Ali	2420	04.12.2019	03:30	28.6	8	7.8	0.9	7.8	700	170	Satisfactory	
27	Sankh U/s	2412	16.12.2019	03:00	21	6.6	8.4	0.9	7.6	3500	170	Satisfactory	
28	Koel U/s	2413	16.12.2019	03:50	20	6.8	8	1.3	9.5	1100	170	Satisfactory	
29	Guradi nallah	3923	16.12.2019	08:20	21	7.3	3.4	4.6	30.3	35000	17000	Drain	
30	Badajhor	3924	10.12.2019	11:40	25	7.9	6.2	1.8	11.6	3500	1700	Satisfactory	

31	Damsala at Dayanabil	3933	04.12.2019	03:55	23	8.4	6.6	1	9.8	1300	170	Satisfactory	
32	Gondanallah at marthapur	3934	04.12.2019	05:30	24	7.9	6.3	1	7.8	1300	340	Satisfactory	
33	Karo at Barbil	3915	02.12.2019	03:45	22	7.2	7.1	0.4	5.9	1400	220	Satisfactory	
34	Lingira U/s	3925	09.12.2019	01:10	25	8.2	10.2	0.6	9.6	1100	330	Satisfactory	
35	Lingira D/s	3926	09.12.2019	02:45	27	8.2	6.2	0.8	11.6	1300	490	Satisfactory	
36	Ramiala near Kamakhyanagar	3932	10.12.2019	02:20	24	7.8	8	0.5	5.8	1300	130	Satisfactory	
37	Bangurunallah	3930	10.12.2019	12:00	25	7.1	7.7	0.4	3.9	790	490	Satisfactory	
38	Singadajhor	3931	10.12.2019	12:50	25	8.1	7.6	0.5	5.8	3500	700	Satisfactory	
39	Tikira U/s	3927	10.12.2019	03:30	24	8.3	8.2	0.8	5.8	3500	700	Satisfactory	
40	Tikira D/s	3928	10.12.2019	01:30	25	8.1	7.8	1	5.8	4900	1100	Satisfactory	
41	Bangurusingada jhor	3931	10.12.2019	09:50	25	7.7	9.6	0.5	5.8	4900	1100	Satisfactory	

River system : Budhabalanga

December, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Baripada D/s	2423	06.12.2019	01:15	20	8	8.8	0.4	5.8	3500	490	Satisfactory	
2	Balasure U/s	3943	06.12.2019	03:30	20	7.8	8	1.2	13.6	3500	700	Satisfactory	
3	Balasure D/s	2424	06.12.2019	10:10	18	7.7	8	1	7.8	4900	1100	Satisfactory	
4	Hatiagond (Sona)	3942	06.12.2019	04:20	18	7.7	8.8	0.7	5.8	3500	1100	Satisfactory	

River system : Vansadhara

December, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Muniguda	2427	11.12.2019	12:40	25	7.2	6.9	0.6	5.7	78	20	Satisfactory	
2	Gunupur	2426	11.12.2019	04:20	23	7.5	7.3	1.2	11.4	790	45	Satisfactory	

River system : Subarnarekha

December, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Rajghat	1641	06.12.2019	11:45	20	8	8	0.5	7.8	3500	490	Satisfactory	

River system : Nagavali

December, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Penta U/s	2422	11.12.2019	10:05	21	6.7	7.2	0.8	5.7	170	20	Satisfactory	
2	Jaykaypur D/s	1642	11.12.2019	09:15	21	6.9	6.4	1	7.6	1300	170	Satisfactory	
3	Rayagada D/s	1643	11.12.2019	08:10	18	7.1	7.4	1.4	11.4	170	20	Satisfactory	

River system : Kolab

December, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	River Kerandi (intake well of NALCO Refinery, HAL, Sunabeda)	2425	11.12.2019	10:35	20	7.3	6.8	0.8	9.5	1300	130	Satisfactory	

River system : Indravati

December, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Indravati at Nawarangpur	3948	11.12.2019	04:25	18	8.2	7.1	0.5	5.7	170	20	Satisfactory	

River system : Bahuda

December, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Bahuda at Damodarpally	3949	03.12.2019	10:00	18	7.5	7.5	0.8	9.8	1400	130	Satisfactory	

December, 2019

Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml
SEA										
Gopalpur sea	2441	04.12.2019	11:00	17	8.2	6.7	1	39	1.8	1.8
Swargadwara (Puri)	2439	05.12.2019	04:35	24.5	8	6.4	0.8	29.3	23	13
Pardeep sea	2440	05.12.2019	09:30	29.3	7.8	6.8	0.8	29.3	1.8	1.8

December, 2019

LAKES											
Name of Lake	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml
Anshupa	Kadalibari	2438	03.12.2019	02:15	26	7.8	8.1	1.2	11.7	790	78
	Bishnupur	3956	03.12.2019	01:31	26	7.6	7.8	2.1	15.6	4600	3300
	Subarnapur	3955	03.12.2019	01:45	26	7.6	7.6	1.4	11.7	1700	460
	Sarandagarh	3957	03.12.2019	02:05	26	7.4	6.9	1.6	13.7	4600	3300
Chilka	Rambha	3953	04.12.2019	11:40	19	8.2	6.5	2.2	29.3	4900	1100
	Satapada	2437	05.12.2019	01:40	23.5	8.2	6.4	1.2	23.3	220	45
Tampara	Tampara lake	3954	04.12.2019	10:30	18	8.2	9	5.2	46.8	3500	1100

December, 2019

CREEK											
Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	
Atharabanki creek	3961	05.12.2019	09:50	27.9	8.1	3.8	4.2	27.2	7000	4600	

December, 2019

CANALS											
Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	
Taladanda canal	Jobra	2438									
	Ranihat	3950									
	Chhatrabazar	3951									
	Nuabazar	2429									
	Biribati	3952									
	Atharabanki	2430	05.12.2019	10:00	26.6	8.1	6.8	1.1	19.4	3500	1300
Puri canal	Hansapal	3958	04.12.2019	04:20	26	8.3	11.8	1.4	9.7	3500	1100
	Jagannathpur	3959	04.12.2019	12:40	25	7.9	5.5	1.2	9.7	3500	1300
	Chandanpur	3960	05.12.2019	11:05	25.5	8.3	7.8	1.1	7.8	3500	1300

December, 2019

PONDS											
Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	
Binduasagar pond(Bhubaneswar)											
Lingaraj temple side	2431	17.12.19	01:10	28	7.2	5.4	2.9	26.3	4900	450	
Ananta Vasudeva temple side		17.12.19	12:45	28	7.2	7.7	1.2	11.4	4900	2200	
Gyananagar side		17.12.19	12:30	28	7.5	5.6	1.2	11.4	4900	450	
Kedarnath Research Centre side		17.12.19	01:00	29	7.3	9.8	2.5	22.7	7900	780	
Ponds in Puri											
Narendra	2432	06.12.2019	10:15	24.5	8.6	4.6	8.7	38.8	5400	700	
Markanda	2433	06.12.2019	10:45	26	8.5	4.2	10.1	50.5	54000	17000	
Indradyumna	2434	06.12.2019	08:35	26.5	8.5	5.4	4.7	23.3	17000	4900	
Swetaganga	2435	06.12.2019	07:45	26.5	8.6	4.6	10.7	62.1	1700	790	

Parbathisagar	2436	05.12.2019	03:40	26.5	8.5	4.2	11.9	69.9	220	140
Pond in Angul										
Raniguda pond	3963	09.12.2019	04:00	26	7.5	8.2	8.7	57.7	1100	130
Pond in Jeypore										
Jagannathsagar Pond	3962	11.12.2019	12:30	22	7.3	6.5	2.3	23	68	20